

INTRODUCTION	3
HEAVY GAUGE	4
MEDIUM GAUGE	4
LIGHT GAUGE	5
GRAY	6
GRAY ADDITIONAL SIZES	6
1 WAY BOXES	8
2 WAY BOXES	8
3 WAY BOXES	9
4 WAY BOXES	9
ANGLE BOXES	9
H BOXES	9
Y BOXES	10
U BOXES EXTENTION	10
EXTENTION RINGS	11
CIRCULAR LIDS	11
CLIP SADDLE	12
EXPANSION COUPLING	12
HEAVY GAUGE COUPLING	13
REDUCER	13
STRAP SADDLE	13
SPACER BAR SADDLE	13
FEMALE ADAPTOR	14

INDEX





CRANK	14
BEND	15
BEND T	15
BEND 90°	15
WELD ON	15
BENDINGS SPREING HEAVY	16
BENDINGS SPREING MEDIUM	16
BENDINGS SPREING LIGHT	17
NORMAL CONDUITS	18
NORMAL CONDUITS	18
FLAME RETARDANT PLIABLE CONDUITS	19
FLAME RETARDANT PLIABLE CONDUITS	19
4WAY BOXES PE	19
4WAY BOXES FLAME RETARDANT	19
FLEXIBLE CONDUIT PVC	20
ADAPTORS	20
MAGIC BOX PVC	21
MAGIC BOX	21
BOX PVC	21
FLEXIBLE CONDUIT	21
JUNCTION BOXES WITH CABLE GLANDS	22
JUNCTION BOXES WITH SMOOTH WALLS	22

> INDEX





الشركة متخصصة في إنتاج مواسير الكهرباء والإكسسوارات اللازمة والمصنعة من مادة UPVC وكذلك إنتاج الخراطيم والفلكسيل ولوازمهم والمصنعة من مادة البولي إيثيلين والمقاومة للإشتعال وتحافظ الشركة دائما على تحقيق إشتراطات الجودة العالمية وتحقيق متطلبات السوق المحلي. وتقوم الشركة بتنفيذ جميع متطلبات العملاء من خلال قسم الدراسات. وعن طريق التحديث الدائم للمكينات واستخدام أجود الخامات وبمساعدة الخبراء المصريين والإستشارات المصرية والأجنبية. وجميع المنتجات تتميز بالصلابة العالية والمقاومة للصدمات والإشتعال والمطابقة للمواصفات البريطانية (B.S) والعالية (IEC) والمصرية (ES) .

The company specializes in the production of the highest quality of electricity pipes and accessories necessary and manufactured article U P V C. As well as the production of hoses, Flexible, supplies and manufactured from polyethylene and resistance to ignition. The company maintains has always been on achieving the requirements of international quality and meet the requirements of the local market. The UTEC implement all the requirements of customers through studies department. Through the constant updating of machines and use the finest raw materials and assistance of the expert Egyptians and foreign consultation. And all products is characterized by high rigidity and resistance to shocks and ignition and conformity to British Standards (BS) and world standards (I E C) and Egyptian standards (ES)

ABOUT



VERY STRONG MATERIALS

SUPER HIGH IMPACT UPVC CONDUIT

Item Code	Size (mm)	Wall Thickness	Packing (Roll)
NGC/H20	20	1.80	102m
NGC/XH20	20	2.1	102m
NGC/H25	25	1.90	60m
NGC/XH25	25	2.2	60m
NGC/H32	32	2.50	45m
NGC/H40	40	2.80	30m
NGC/H50	50	3.40	15m

HEAVY GAUGE



MEDIUM GAUGE

Item Code	Size (mm)	Wall Thickness	Packing (Roll)
NGC/M20	20	1.55	102m
NGC/M25	25	1.80	60m
NGC/M32	32	2.10	45m
NGC/M40	40	2.30	30m
NGC/M50	50	3.00	15m

**LIGHT
GAUGE**



Item Code	Size (mm)	Wall Thickness	Packing (Roll)
NGC/L16	16	1.00	102m
NGC/L20	20	1.30	102m
NGC/L25	25	1.45	60m
NGC/L32	32	1.70	45m
NGC/L40	40	2.10	30m
NGC/L50	50	2.85	15m
NGC/H63	63	3.00	15m

Flame Retardant
White Colour

- Standard Pipe Length 3.00 m.
- Special Lengths Can be arranged on request .
- If you need black colour it has to be requested as it is a special colour.
- Manufactured from super high impact UPVC to BS-EN50086-2/1996 .
- Alternative sizes , lengths or colours can be supplied to order
- IEC 61386-1/2008






**VERY STRONG
MATERIALS**

**SUPER HIGH IMPACT
UPVC CONDUIT**

Item Code	Size (mm)	Wall Thickness	Packing (Roll)
NEG/13	13	0.7	102m
NEG/16	16	1	102m
NEG/19	19	1	102m
NEG/23	23	1	102m
NEG/29	29	1	102m
NEG/36	36	1	102m



**GRAY
ADDITIONAL
SIZES**

Item Code	Size (mm)	Wall Thickness	Packing (Roll)
NEG/20	20	1.5	102m
NEG/25	25	1.5	60m
NEG/32	32	1.8	45m
NEG/40	40	1.9	30m
NEG/50	50	2.4	15m
NEG/63	63	3	15m

- Standard Pipe Length 3.00 m.
- Special Lengths Can be arranged on request .
- If you need black colour it has to be requested as it is a special colour.
- Manufactured from super high impact UPVC to BS-EN50086-2/1996 .
- Alternative sizes , lengths or colours can be supplied to order
- IEC 61386-1/2008

Flame Retardant
gray Colour




NOW
YOU CAN
EXPLORE
OUR PRODUCTS



ELECTRICAL INDUSTRIES

HIGH QUALITY
> PRODUCTS



**VERY STRONG
MATERIALS**

**SUPER HIGH IMPACT
UPVC ACCESSORIES**

Item Code	Size (mm)	Packing (PCS)
CGB1W/20	20m	25
CGB1W/25	25m	25


**1 WAY
BOXES**



**2 WAY
BOXES**


Item Code	Size (mm)	Packing (PCS)
CGB2W/20	20m	25
CGB2W/25	25m	25

**3WAY
BOXES**



Item Code	Size (mm)	Packing (PCS)
CGB3W/20	20m	25
CGB3W/25	25m	25

**4WAY
BOXES**




Item Code	Size (mm)	Packing (PCS)
CGB4W/20	20m	25
CGB4W/25	25m	25

**ANGLE
BOXES**



Item Code	Size (mm)	Packing (PCS)
CGBAW/20	20m	25
CGBAW/25	25m	25

**H
BOXES**



Item Code	Size (mm)	Packing (PCS)
CGBHW/20	20m	25
CGBHW/25	25m	25

-  Flame Retardant
-  White Colour

- Manufactured from UPVC flame retardant .
- Boxes meet requirements of BS 4607- BS 7671.
- Fixing center 50.8 mm fitted with M4 brass inserts .
- Extended Lug Box 10kg. @ 60°C max.
- All boxes contain a moulded recess for earth terminal.






**VERY STRONG
MATERILAS**

**SUPER HIGH IMPACT
UPVC ACCESSORIES**

Item Code	Size (mm)	Packing (PCS)
CGBYW/20	20m	25
CGBYW/25	25m	25

**Y
BOXES**



**U
BOXES**

Item Code	Size (mm)	Packing (PCS)
CGBUW/20	20m	25
CGBUW/25	25m	25

**EXTENTION
RINGS**



Item Code	Size (mm)	Packing (PCS)
NGE/R32	32m	25
NGE/R38	38m	25

**CIRCULAR
LIDS**



Item Code	Size (mm)	Packing (PCS)
CGB/EL	66m	25

-  Flame Retardant
-  White Colour

- Manufactured from UPVC flame retardant .
- Boxes meet requirements of BS 4607- BS 7671.
- Fixing center 50.8 mm fitted with M4 brass inserts .
- Extended Lug Box 10kg. @ 60°C max.
- All boxes contain a moulded recess for earth terminal.







VERY STRONG MATERIALS

SUPER HIGH IMPACT UPVC CONDUIT

Item Code	Size (mm)	Packing (PCS)
NGS/S16	16m	100
NGS/S20	20m	100
NGS/S25	25m	100
NGS/S32	32m	50
NGS/S40	40m	50
NGS/S50	50m	50

CLIP SADDLE



EXPANSION COUPLING

Item Code	Size (mm)	Packing (PCS)
NGX/C20	20m	50
NGX/C25	25m	25
NGX/C32	32m	10
NGX/C40	40m	10
NGX/C50	50m	10

CLIP SADDLE

- Manufactured from ABS flame retardant .
- Colour white and gray .
- Stepped gland in soft material .
- Manufactured from UPVC flame retardant .
- meet requirements of BS 4607- BS 7671 .

▲ Flame Retardant

□ White Colour



**HEAVYGAUGE
COUPLING**




Item Code	Size (mm)	Packing (PCS)
NGE/C20	20m	100
NGE/C25	25m	50
NGE/C32	32m	50
NGE/C40	40m	30
NGE/C50	50m	20

REDUCER




Item Code	Size (mm)	Packing (PCS)
NGR/R20	20X16M	50
NGR/R25	25X20M	50
NGR/R32	32X25M	25

**STRAP
SADDLE**



Item Code	Size (mm)	Packing (PCS)
NGT/S16	16m	100
NGT/S20	20m	100
NGT/S25	25m	100
NGT/S32	32m	50
NGT/S40	40m	50
NGT/S50	50m	50

**SPACER BAR
SADDLE**



Item Code	Size (mm)	Packing (PCS)
NGB/S20	20m	100
NGB/S25	25m	75
NGB/S32	32m	50
NGB/S40	40m	25
NGB/S50	50m	25

CLIP SADDLE

- Manufactured from APS flame retardant .
- Colour white and gray .
- Stepped gland in soft material .
- Manufactured from UPVC flame retardant .
- meet requirements of BS 4607- BS 7671 .

- ▲ Flame Retardant
- White Colour





VERY STRONG MATERIALS

SUPER HIGH IMPACT UPVC ACCESSORIES

Item Code	Size (mm)	Packing (PCS)
NGF/A20	20m	100
NGF/A25	25m	50
NGF/A32	32m	25
NGF/A40	40m	25
NGF/A50	50m	10

FEMALE ADAPTOR



CRANK


Item Code	Size (mm)	Packing (PCS)
NGX/C20	20m	25
NGX/C25	25m	10

-  Flame Retardant
-  White Colour

- Manufactured from UPVC flame retardant .
- meet requirements of BS 4607- BS 7671.




BEND



Item Code	Size (mm)	Packing (PCS)
NGD/B20	20m	25
NGD/B25	25m	20
NGD/B32	32m	30
NGD/B40	40m	30
NGD/B50	50m	25

BEND T



Item Code	Size (mm)	Packing (PCS)
CGBHW/20	20m	25
CGBHW/25	25m	25

BEND 90°



Item Code	Size (mm)	Packing (PCS)
CGBAW/20	20m	25
CGBAW/25	25m	25

WELD ON



Item Code	Size (Litter)	Packing (PCS)
EW/P4	1/4L	48
EW/P8	1/8L	24

Color (Transparent)

- ▲ Flame Retardant
- White Colour


- Manufactured from UPVC flame retardant .
- meet requirements of BS 4607- BS 7671.



**SUPER HIGH IMPACT
UPVC ACCESSORIES**


Item Code	Size (mm)	Packing (PCS)
NGS/H1	20m	1
NGS/H2	25m	1
NGS/H3	32m	1
NGS/H4	40m	1
NGS/H5	50m	1

**BENDINGS
SPREING
HEAVY**




**BENDINGS
SPREING
MEDIUM**

Item Code	Size (mm)	Packing (PCS)
NGS/M1	20m	1
NGS/M2	25m	1
NGS/M3	32m	1
NGS/M4	40m	1
NGS/M5	50m	1

BENDINGS
SPREING
LIGHT

Item Code	Size (mm)	Packing (PCS)
NGS/L1	20m	1
NGS/L2	25m	1
NGS/L3	32m	1
NGS/L4	40m	1
NGS/L5	50m	1



Item Code	Size (mm)	Standard (m)	Wall Thickness
1416	16m	50	2.15m
1420	20m	50	2.25m
1425	25m	50	2.60m
1432	32m	50	2.80m
1440	40m	25	3.00m
1450	50m	25	3.25m

**NORMAL
PLIABLE
CONDUITS**



**NORMAL
PLIABLE
CONDUITS**

Item Code	Size (mm)	Standard (m)	Wall Thickness
1113	13m	45	2.10m
1116	16m	45	2.30m
1119	19m	45	2.40m
1123	23m	45	2.60m
1129	29m	45	3.30m
1136	36m	22.5	3.80m
1148	48m	25	3.25m

**FLAME
RETARDANT
PLIABLE
CONDUITS**



Item Code	Size (mm)	Standard (m)	Wall Thickness
1516	16m	50	2.15m
1520	20m	50	2.25m
1525	25m	50	2.60m
1532	32m	50	2.80m
1540	40m	25	3.00m
1550	50m	25	3.25m

**FLAME
RETARDANT
PLIABLE
CONDUITS**



Item Code	Size (mm)	Standard (m)	Wall Thickness
1213	13m	45	2.10m
1216	16m	45	2.30m
1219	19m	45	2.40m
1223	23m	45	2.60m
1229	29m	45	3.30m
1236	36m	22.5	3.80m
1248	48m	25	3.25m

**4WAY
BOXES
PE**



Item Code	Size (mm)	Packing (PCS)
NB4W/20	20m	20

**4WAY BOXES
FLAME
RETARDANT**



Item Code	Size (mm)	Packing (PCS)
NB4W/20	20m	20

- Flame Retardant
- White Colour

- Manufactured from virgin PE raw materials .
 - meet requirements of BS 4607- BS 7671.
 - Requirements according to ES 1283/2008.
 - Alternative sizes , lengths or colours can be supplied to order .





Item Code	Size (mm)	Standard (Coil)	Packing (PCS)
CGF/12	12m	30m	1
CGF/14	14m	30m	1
CGF/16	16m	30m	1
CGF/20	20m	30m	1
CGF/22	22m	30m	1
CGF/25	25m	30m	1
CGF/32	32m	30m	1
CGF/40	40m	30m	1
CGF/50	50m	30m	1

FLEXIBLE CONDUIT PVC



ADAPTORS

Item Code	Size (mm)	Packing (PCS)
CGF/12	12m	100
CGF/14	14m	100
CGF/16	16m	100
CGF/20	20m	100
CGF/25	25m	50
CGF/32	32m	50
CGF/40	40m	25
CGF/50	50m	25

- Flame Retardant
- White Colour

- Manufactured from UPVC flame retardant .
 - in accordance with : BSEN61386 -1 , BSEN61386-2 2



**Magic
Box
Pvc**



Item Code	Size (cm)	Packing (PCS)
CGBM	10x7	200

**Magic
Box**



Item Code	Size (cm)	Packing (PCS)
CGBM	10x7	200

**Box
Pvc**



Item Code	Size (cm)	Packing (PCS)
CGB7	7x7	1
CGB14	7x14	1

**FLEXIBLE
CONDUIT**



Item Code	Size (cm)	Packing (PCS)
NGF/20	20	1
NGF/25	25	1



VERY STRONG MATERIALS SUPER HIGH IMPACT UPVC JUNCTION BOXES


Item Code	Size (CM)	Packing (PCS)
CGB/10/1	10x10	1
CGB/15/1	15x10	1
CGB/19/1	19x14	1
CGB/24/1	24x19	1
CGB/30/1	30x22	1
CGB/38/1	38x30	1

JUNCTION BOXES WITH CABLE GLANDS



JUNCTION BOXES WITH SMOOTH WALLS

Item Code	Size (CM)	Packing (PCS)
CGB/10	10x10	1
CGB/15	15x10	1
CGB/19	19x14	1
CGB/24	24x19	1
CGB/30	30x22	1
CGB/38	38x30	1

-  Flame Retardant
- White Colour

- made in ABS self-extinguished
- standard colour gray and white colour
- 4 fixing screws
- stepped gland in soft material



Ministry of Industry & Foreign Trade
Egyptian Organization for
Standardization & Quality

EOS

LICENCE OF QUALITY MARK

Company's Name : **New ega Electrical Industries**

Address : **The area Neighboring The Workshops - Phase 2 - Quesna - Monofeya**

Product (s) Certified : **Pipes made of Poly Vinyl Chloride (PVC) for Electrical Installations**

Standard (s) : **IEC 61386-21/2008**

Date of Issue : **10 / 4 / 2015**

Validity : **One Year**

Certificate No **C.Is / 037 / 75 / 2015**

Eos Chairman **Eng. Saad Thabet**
Quality General Manager
Dr. Eng. Hassan Ahmed Abdel El Maged
Eng. Isis Thabet

Address: 16 Tadreeh Elmodarben ST - Elameria - Cairo
Tel: 022284552 - 022284524 Fax: 0222845504
E-mail: eos@ldbc.net.eg

Ministry of Industry & Foreign Trade
Egyptian Organization for
Standardization & Quality

EOS

LICENCE OF QUALITY MARK

Company's Name : **New ega Electrical Industries**

Address : **The area Neighboring The Workshops - Phase 2 - Quesna - Monofeya**

Product (s) Certified : **Plastic Conduits for Electrical Installations**

Standard (s) : **ES : 1283/2008**

Date of Issue : **10 / 4 / 2015**

Validity : **One Year**

Certificate No **C.Is / 037 / 74 / 2015**

Eos Chairman **Eng. Saad Thabet**
Quality General Manager
Dr. Eng. Hassan Ahmed Abdel El Maged
Eng. Isis Thabet

Address: 16 Tadreeh Elmodarben ST - Elameria - Cairo
Tel: 022284552 - 022284524 Fax: 0222845504
E-mail: eos@ldbc.net.eg

EOS شهادة ترخيص بعلامة الجودة
هيئة اشراف ايامه للمواصفات والكودة

شهادة ترخيص بعلامة الجودة

الاسم التجارية : **نيو ايجا للصناعات الكهربائية**

العنوان : **المنطقة المجاورة للورش - المرحلة الثانية - قويسنا - محافظة المنوفية**

السلعة المرخص لها بعلامة الجودة : **مواسير PVC للتركيبات الكهربائية**

الواصفات القياسية : **IEC 61386-21/2008**

تاريخ الإصدار : **٢٠١٥ / ٤ / ١٠**

صلاحية الترخيص : **عام**

رقم الشهادة : **ك ص / ٧٤ / ٠٣٧ / ٢٠١٥**

مدير عام الكودة : **د. هاشم محمد**
مدير مجلس الإدارة : **د. هاشم محمد**

العنوان : ١٦ شارع عربيه النورين - الأسيوطي - القاهرة
ت : ٠٢٢٢٨٤٥٥٢ - ٠٢٢٢٨٤٥٢٤ - فاكس : ٠٢٢٢٨٤٥٥٤
البريد الإلكتروني : eos@ldbc.net.eg

EOS شهادة ترخيص بعلامة الجودة
هيئة اشراف ايامه للمواصفات والكودة

شهادة ترخيص بعلامة الجودة

الاسم التجارية : **نيو ايجا للصناعات الكهربائية**

العنوان : **المنطقة المجاورة للورش - المرحلة الثانية - قويسنا - محافظة المنوفية**

السلعة المرخص لها بعلامة الجودة : **أنابيب البلاستيك المرنة للتركيبات الكهربائية**

الواصفات القياسية : **م.ق.م رقم ١٢٨٣ / ٢٠٠٨**

تاريخ الإصدار : **٢٠١٥ / ٤ / ١٠**

صلاحية الترخيص : **عام**

رقم الشهادة : **ك ص / ٧٤ / ٠٣٧ / ٢٠١٥**

مدير عام الكودة : **د. هاشم محمد**
مدير مجلس الإدارة : **د. هاشم محمد**

العنوان : ١٦ شارع عربيه النورين - الأسيوطي - القاهرة
ت : ٠٢٢٢٨٤٥٥٢ - ٠٢٢٢٨٤٥٢٤ - فاكس : ٠٢٢٢٨٤٥٥٤
البريد الإلكتروني : eos@ldbc.net.eg

Certificate of Registration

QUALITY MANAGEMENT SYSTEM

NEW EGA ELECTRICAL INDUSTRIES

MUBARAK INDUSTRIAL ZONE 2nd STAGE,
KOESNA, MONOFIA, EGYPT

Scope
**MANUFACTURING OF ELECTRICAL TOOLS
UPVC PIPES AND ALL ACCESSORIES, NORMAL AND
FIRE RESISTANT PE HOSES, THERMAL FLEXIBLE
HOSES AND ALL ACCESSORIES**

This is to certify that the Quality Management System of the above mentioned Company
meets the requirement of

ISO 9001:2008

MSE : 18861111-1
Certificate Number
22 Nov. 2014
Date of Issue

22 Nov. 2011
Date of Initial Registration
21 Nov. 2015
Date of Expiry

Certificate valid for 3 years (2017/11/21/2019) from the date of the certificate.
Upon successful completion of surveillance audit a new certificate will be issued.
Revised: 2015/01/04

CSS CERTIFICATION

CSS CERTIFICATION SERVICES PVT. LTD.
WWW.CSSCERTIFICATION.COM

REGISTRATION BY THE BODY AUTHORIZED UNDER PROVISIONS OF QUALITY ACT, 1987 AND COMP. ACT
WWW.IAF.ORG.COM

ISO 9001 **IAF**

newega
ELECTRICAL INDUSTRIES

نيو إيجا

للصناعات الكهربائية

رئيس مجلس الإدارة
م / بلال بدوي

مدير المصنع
م / محروس بدوي

Chairman of board of directors
Eng / Belal Badawy

Factory director
Eng / Mahrous Badawy

Mail info@newega.net

Website www.newega.net

الإدارة

٥٢ شارع عبد الخالق ثروت القاهرة
تليفون: ٢٣٩٦٠٦٢٨ - ٢٣٩٥٧٦٦٨ فاكس: ٢٣٩٦٠٦٢٧

المصنع

مدينة مبارك الصناعية المرحلة الثانية
قويسنا - المنوفية